CENTRE TESTING INTERNATIONAL

S D S

- COMPANY NAME : NINGBO SKL INTERNATIONAL CO., LTD.
- ADDRESS : 195#, Hongda Road, Part A, Hongtang Industrial Park, Jiangbei, Ningbo, China
- SAMPLE NAME : LIQUID SOLUTION FOR SCREEN CLEANER KIT





Version: 2.0/EN Product name:

Revision date: 01/01/2021 Printing date: 01/01/2021

LIQUID SOLUTION FOR COLORWAY CW-1071, CW-1031, CW-1032, CW-5230, CW-5200

1.	Identification	
	(a) Product identifier	
	Product name:	LIQUID SOLUTION FOR SCREEN CLEANER KIT: CW-1031, CW-1032, CW-5230, CW-5200 LIQUID SOLUTION FOR COLORWAY SCREEN CLEANING WIPES: CW-1071
	File Number:	NBRE1104191045103R1
	(b) Other means of identifi	cation
	Product description:	Liquid/gel solution.
	(c) Recommended use of th	ne chemical and restrictions on use
	Recommended use:	To clean and polish all electronic equipment.
	Restriction on use:	No information available.
	(d) Details of the supplier of	of the product
	Company name:	NINGBO SKL INTERNATIONAL CO., LTD
	Address:	195#,Hongda Road, Part A, Hongtang Industrial Park, Jiangbei, Ningbo, China
	Post code:	315033
	E-mail:	info@SKLINTER.COM
	Telephone:	+86-574-27901818
	Fax:	+86-574-27901830
	(e) Emergency phone numb	ber
	+86-574-27901818	

2. Hazard(s) identification

(a) Classification of the chemical		
This product is not classifie	ed as hazardous.	
(b) Label elements		
This product is not classifie	ed as hazardous.	
Pictogram(s):	No pictogram(s).	
Signal word:	No signal word.	
Hazard statements:	No hazard statements.	
Precautionary statements:	No precautionary statements.	
(c) Description of any hazar	ds not otherwise classified	
No information available.		
(d) Ingredient with unknow	n acute toxicity	
No information available.		

Version: 2.0/EN Product name:

Revision date: 01/01/2021 **Printing date:** 01/01/2021

LIQUID SOLUTION FOR COLORWAY CW-1071, CW-1031, CW-1032, CW-5230, CW-5200

3. Composition/information on ingredients

Chemical name	CAS No.	Concentration
pure water	7732-18-5	94.45%
propylene glycol n-propul ether	1569-01-3	3%
carob gum	9000-40-2	1.5%
decyl glucoside	68515-73-1	1%
potassium sorbate	590-00-1	0.03%
methyl-4-hydroxybenzoate	99-76-3	0.02%

4. First-aid measures

(a) Description of first aid measures				
Inhalation:	Not expected to become a significant inhalation hazard under normal conditions of use.			
	Supply fresh air; consult doctor in case of complaints.			
Skin contact:	Generally the product does not irritate the skin.			
Eye contact:	Rinse opened eye for several minutes under running water.			
Ingestion:	If swallowed by children accidentally, medical treatment immediately.			
	If symptoms persist consult doctor.			

(b) Most important symptoms/effects, acute and delayed

No information available.

(c) Immediate medical attention and special treatment

Symptomatic treatment is advised.

5. Fire-fighting measures

(a) Extinguishing media			
Suitable extinguishing media:	This product is not flammable. Use fire extinguishing methods suitable to surrounding conditions.		
Unsuitable extinguishing media: No information available.			
(b) Special hazards arising from the chemical			
In the event of a fire, may produce irritant or toxic gas.			
(c) Special protective equipment and precautions for fire-fighters			
Firefighters must wear fire resistant protective equipment. Wear self-contained breathing apparatus.			

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Revision date: 01/01/2021 Printing date: 01/01/2021

LIQUID SOLUTION FOR COLORWAY CW-1071, CW-1031, CW-1032, CW-5230, CW-5200

(a) Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Do not breathe in vapours. Avoid contact with skin, eyes and clothing.

(b) Methods and materials for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7. Handling and storage

(a) Precautions for safe handling

Use only in well-ventilated areas. Keep container tightly closed. Do not use unlabelled containers. Avoid contact with skin and eyes.

(b) Conditions for safe storage, including any incompatibilities

Stored in a cool, dry, ventilated area. Keep away from strong acid, strong base and strong oxidizing agent. Do not store together with strong oxidizing, educing, acidic materials as well as alkali metals.

8. Exposure controls/personal protection

(a) Control parameters

	OSHA		ACGIH	
Component	PEL-TWA	PEL-STEL	TLV-TWA	TLV-STEL
propylene glycol n-propul	Not Established	Not Established	Not Established	Not Established
ether				
carob gum	Not Established	Not Established	Not Established	Not Established
decyl glucoside	Not Established	Not Established	Not Established	Not Established
potassium sorbate	Not Established	Not Established	Not Established	Not Established
methyl-4-hydroxybenzoate	Not Established	Not Established	Not Established	Not Established

(b) Appropriate engineering controls

Do not inhale vapours or smoke of heated product. Ensure adequate ventilation. Follow the maximum workplace concentration values. When the concentration in the air is over the maximum occupational exposure limit, an approved respiratory protection apparatus must be worn.

(c) Personal protective equipment

Respiratory protection:	Use suitable respiratory protective device in case of insufficient ventilation.
Hand protection:	Protective gloves, chemical-resistant.
Eye/face protection:	In case of risk of splashing, wear protective glasses/face-shield.
Skin/body protection:	Repeated or prolonged exposure: Chemical resistant apron.

9. Physical and chemical properties

(a) Appearance (b) Odor Colourless liquid Odourless

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version: 2.0/EN Product name:

LIQUID SOLUTION FOR COLORWAY CW-1071, CW-1031, CW-1032, CW-5230, CW-5200

(c) Odor threshold	Not available.
(d) pH	Not determined.
(e) Melting point/freezing point	Not determined.
(f) Initial boiling point and boiling range	100°C
(g) Flash point	Not determined.
(h) Evaporation rate	Not available.
(i) Flammability	Product is not flammable.
(j) Upper/lower flammability or explosive limits	Not available.
(k) Vapor pressure	Not available.
(I) Vapor density	Not available.
(m) Relative density	Not available.
(n) Solubility(ies)	Fully miscible in water.
(o) Partition coefficient: n-octanol/water	Not available.
(p) Auto-ignition temperature	Product is not selfigniting.
(q) Decomposition temperature	Not available.
(r) Viscosity	Not available.

10. Stability and reactivity

(a) Reactivity

Stable under recommended storage and handling conditions (see section 7, handling and storage).

(b) Chemical stability

Stable under normal conditions.

(c) Possibility of hazardous reactions

None hazardous reactions known.

(d) Conditions to avoid

Open flames, hot surfaces, and sources of ignition. Avoid contact with Incompatible materials.

(e) Incompatible materials

Base metals. Strong acid. Strong bases. Strong oxidizing agents. Incompatible materials.

(f) Hazardous decomposition products

In the event of a fire, may produce irritant or toxic gas.

11. Toxicological information

(a) Information on the likely routes of exposure
 Inhalation: No information available.
 Ingestion: No information available.
 Skin contact: May cause skin irritating.

Revision date: 01/01/2021 Printing date: 01/01/2021

Safety Data Sheet

According to HCS-2012 APPENDIX D TO §1910.1200

Version: 2.0/EN Product name:

Revision date: 01/01/2021 Printing date: 01/01/2021

LIQUID SOLUTION FOR COLORWAY CW-1071, CW-1031, CW-1032, CW-5230, CW-5200

Eye contact: May cause redness, pain.

(b) Information on toxicological characteristics

Skin corrosion/irritation:No irritant effect.Serious eye damage/irritation:May cause irritating effect.Respiratory sensitization:No data available.	Acute toxicity:	methyl 4-hydroxybenzoate	Acute oral toxicity: LD ₅₀ =6000 mg/kg (rabbit)
	Skin corrosion/irritation:	No irritant effect.	
Respiratory sensitization: No data available.	Serious eye damage/irritation:	May cause irritating effect.	
	Respiratory sensitization:	No data available.	
Skin sensitization: No sensitizing effects known.	Skin sensitization:	No sensitizing effects known.	
Carcinogenicity: IARC: It is not listed by the International Agency for Research on Cancer (IARC).	Carcinogenicity:	IARC: It is not listed by the Inte	ernational Agency for Research on Cancer (IARC).
Germ Cell Mutagenicity: No data available.	Germ Cell Mutagenicity:	No data available.	
Reproductive Toxicity: No data available.	Reproductive Toxicity:	No data available.	
STOT-Single Exposure: No data available.	STOT-Single Exposure:	No data available.	
STOT-Repeated Exposure: No data available.	STOT-Repeated Exposure:	No data available.	
Aspiration Hazard: No data available.	Aspiration Hazard:	No data available.	

12. Ecological information

(a) Ecotoxicity

No harmful effects to aquatic organisms if a few. It can damage the circumstance of aquatic organisms if a large amount of the products enter into water.

(b) Persistence and Degradability

No information available.

(c) Bioaccumulative potential

No information available.

(d) Mobility in soil

Fully miscible in water.

(e) Other adverse effects

No information available.

13. Disposal considerations

(a) Safe handling and methods of disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

14. Transport information

(a) UN number

(b) UN Proper shipping name

Not regulated. Not regulated.

Version: 2.0/EN Product name:

LIQUID SOLUTION FOR COLORWAY CW-1071, CW-1031, CW-1032, CW-5230, CW-5200

(c) Transport hazard class(es)
(d) Packing group (if applicable)
(e) Marine pollutant (Yes/No)
(f) Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)
(g) Special precautions

Not regulated. Not regulated. No No information available.

No information available.

15. Regulatory information

(a) Safety, health and environmental regulations specific for the product in question

CAS No.	USA	EU	Japan	Korea	China	Canada
CAS NO.	TSCA	EINECS	ENCS	ECL	IECSC	DSL
7732-18-5	Listed	Listed	Not listed	Listed	Listed	Listed
1569-01-3	Listed	Listed	Listed	Listed	Listed	Listed
9000-40-2	Listed	Listed	Not listed	Listed	Listed	Listed
68515-73-1	Listed	Listed in NLP	Not listed	Listed	Listed	Listed
590-00-1	Listed	Not listed	Listed	Listed	Listed	Listed
99-76-3	Listed	Listed	Listed	Listed	Listed	Listed
Remark: The above-mentioned search results are based on the Non-Confidential Inventory.						

16. Other information, including date of preparation or last revision

(a) Preparation	and r	revision	information	
-----------------	-------	----------	-------------	--

Date of previous revision: Not applicable. Revision summary: The first New SDS

Date of this revision: 01/01/1017

(b) Abbreviations and acronyms

ACGIH	American Conference of Governmental Industrial Hygienists
OSHA:	The United States Occupational Safety and Health Administration.
TWA:	time-weighted average
STEL:	Short term exposure limit
DOT:	US Department Of Transportation)
IMDG:	International Maritime Dangerous Goods
IATA:	International Air Transport Association
TSCA:	Toxic Substances Control Act, The American chemical inventory.
DSL	Domestic Substances List
EINECS:	European Inventory of Existing Commercial chemical Substances
ENCS	Japanese Existing and New Chemical Substances
ECL:	Existing Chemicals List, the Korean chemical inventory.
IECSC:	Inventory of existing chemical substances in China.
(c) Disclaimer	

Version: 2.0/EN Product name: LIQUID SOLUTION FOR COLORWAY CW-1071, CW-1031, CW-1032, CW-5230, CW-5200 **Revision date:** 01/01/2021 **Printing date:** 01/01/2021

The information in this SDS is provided all the relevant data fully and truly. However, the information is provided without any warranty on their absolute extensiveness and accuracy. This SDS was prepared to provide safety preventive measures for the users who have got professional training. The personal user who obtained this SDS should make independent judgment for the applicability of this SDS under special conditions. In these special cases, we do not assume responsibility for the damage.

----- End of the SDS -----